

# MATERIAL SAFETY DATA SHEET

# **ORIGANUM OIL (SPAIN)**

Section I: Identification of the substance/mixture and of the company/undertaking

#### I.I. Product identifier

Product name: ORIGANUM OIL SPAIN

CAS number: 90131-59-2

EINECS number: 290-371-7

Index number: 2828

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: E.U Commodity Code: 3301 29 41 FDA: 182.20

# 1.3. Details of the supplier of the safety data sheet

G. Baldwin & Co.

173 Walworth Road,

LONDON, ENGLAND. SE17 1RW.

Telephone: +44 (0) 207 703 5550 Fax: +44 (0)207 252 6264

E-mail: info@baldwins.co.uk

Web: www.baldwins.co.uk

### 1.4. Emergency telephone number

Emergency tel: +44 (0) 207 703 5550 (office hours only)

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP:

Acute Tox. 4: H302; Acute Tox. 4: H312; Aquatic Chronic 3: H412; Flam. Liq. 3: H226;

Skin Corr. IA: H314; Asp. Tox. I: H304; Skin Irrit. 2: H315; Skin Sens. IA: H317; Eye Irrit.

2: H319; Aquatic Chronic 2: H411

# Most important adverse effects:

Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

Hazard statements:

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H4II: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms:

GHS07: Exclamation mark

GHS08: Health hazard

Signal words: Danger

Precautionary statements:

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+310: IF SWALLOWED: Immediately call a.

P30I+3I2: IF SWALLOWED: Call a consultant if you feel unwell.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P305+35I+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instructions on this label).

P330: Rinse mouth.

P331: Do NOT induce vomiting.

P370+378: In case of fire: Use foam to extinguish.

P391: Collect spillage.

# 2.3. Other hazards

Other hazards: Risk of explosion if heated under confinement.

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

Hazardous ingredients:

CARVACROL

EINECS CAS PBT / WEL CLP Classification Percent

207-889-6 499-75-2 Skin

Sens. 1B: H317 70-90%

P-CYMENE

202-796-7 99-87-6 Flam.

Liq. 3: H226; Asp. Tox. 1: H304;

Aquatic Chronic 2: H4II

1-10%

**MYRCENE** 

123-

35-3 Flam.

Liq. 3: H226; Skin Sens. 1B:

H317; Eye Irrit. 2: H319; Asp. Tox. 1:

H304

1-10%

# P-MENTHA-1,3-DIENE (SEE ALPHA-TERPENENE)

202-795-I 99-86-5 Skin

Sens. 1B: H317 1-10%

#### PINENE ALPHA

201-291-9 80-56-8 Flam.

Liq. 3: H226; Skin Irrit. 2: H315;

Skin Sens. IB: H317; Asp. Tox. I:

H304

1-10%

1-OCTEN-3-OL

222-226-0 3391-86-4 Skin

Sens. I: H317 <1%

#### L-LIMONENE

227-815-6 5989-54-8 Flam.

Liq. 3: H226; Skin Irrit. 2: H315;

Skin Sens. I: H317; Aquatic Acute I:

H400; Aquatic Chronic I: H410

<1%

#### **THYMOL**

201-944-8 89-83-8 Acute

Tox. 4: H302; Skin Corr. 1B:

H314; Aquatic Chronic 2: H411

<1%

#### **CAMPHENE**

201-234-8 79-92-5 Skin

Irrit. 2: H315 <1%

#### **TERPINOLENE**

209-578-0 586-62-9 Skin

Sens. 1B: H317; Asp. Tox. 1:

H304; Aquatic Chronic I: H410; Flam.

Liq. 3: H226; Aquatic Acute 1: H400

<1%

Contains: Essential oil of Thymus capitatus, Labiatae. (distilled)

100 % pure and natural from named source

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact:

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

# Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures:

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

Suitable packaging: Must only be kept in original packaging.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

Workplace exposure limits: No data available.

#### DNEL/PNEC Values

DNEL / PNEC No data available.

# 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

#### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Dark straw to brown

Odour: Characteristic odour

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Viscosity: Non-viscous

Flash point °C: 63 Part.coeff. n-octanol/water: 1.4950 to 1.5200

Vapour pressure: +1.0 to -7.0 Relative density: 0.930 to 0.955

pH: 15

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section II: Toxicological information

#### II.I. Information on toxicological effects

Toxicity values:

Route Species Test Value Units
ORL RAT LD50 1850 mg/kg
SKN MUS 100
% SEV
SKN RBT 500
mg/24H MOD
SKN RBT LD50 320 mg/kg

Hazardous ingredients:

THYMOL

ORL MUS LD50 640 mg/kg

ORL RAT LD50 980 mg/kg

SCU RAT LDLO 1600 mg/kg

Relevant hazards for product:

#### Hazard Route Basis

Acute toxicity (ac. tox. 4) DRM ING Hazardous: calculated
Skin corrosion/irritation DRM Hazardous: calculated
Serious eye damage/irritation OPT Hazardous: calculated

# Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

### 14.1. UN number

UN number: UN2810

#### 14.2. UN proper shipping name

Shipping name: Extracts, Aromatic, Liquid

#### 14.3. Transport hazard class(es)

Transport class: 6.1

#### 14.4. Packing group

# 14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: C/E

Transport category: I

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### Section 16: Other information

Recommended for professional use only as an ingredient in perfumes and food flavours.

Phrases used in s.2 and s.3:

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

# Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

